

City of Santa Fe Springs Water Utility Authority


2011

Annual Water Quality Report

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act. This report is a snapshot of the drinking water quality that we provided to you last year. It is designed to provide you with details about where your water comes from, how it is tested, what it contains, and how it compares to standards set by regulatory agencies. We continue to strive to provide a reliable and economical supply that meets all regulatory requirements. We believe that informed customers are our best allies and therefore, we continue to be committed to providing you with this information.

Where Does My Drinking Water Come From?

Water supplied by the City of Santa Fe Springs comes from 2 sources: groundwater and surface water. The City of Santa Fe Springs pumps groundwater from our local well and disinfects this water with chlorine before distributing it to our customers. Also, last year the City purchased treated and disinfected water from the Central Basin Municipal Water District's groundwater treatment facility in Whittier Narrows. The City also uses Metropolitan Water District of Southern California's (MWD) filtered and disinfected surface water from both the Colorado River and the State Water Project in northern California. These water sources supply our service area shown on the map below. The quality of our groundwater and MWD's treated surface water supplies are presented in this report.



How Is My Drinking Water Tested?

Your drinking water is tested regularly for unsafe levels of chemicals, radioactivity and bacteria at the source and in the distribution system. We test weekly, monthly, quarterly, and annually. State and Federal laws allow us to test some substances less than once per year because their levels do not change frequently. All water quality tests are conducted by professionally-trained technicians in state-certified laboratories.

Why Do I See So Much Coverage in the News About the Quality Of Tap Water and Bottled Water?

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791). You can also get information on tap water by logging on to these helpful websites:

- www.epa.gov/safewater (USEPA web site)
- www.cdph.ca.gov/certlic/drinkingwater (California Department of Public Health web site)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, including viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife;
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming;
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses;
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gasoline stations, urban stormwater runoff, agricultural application, and septic systems;
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

City of Santa Fe Springs Water Utility Authority

2011

Annual Water Quality Report

What Are Water Quality Standards?

In order to ensure that tap water is safe to drink, the USEPA and the California Department of Public Health (CDPH) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The CDPH regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

What is a Water Quality Goal?

In addition to mandatory water quality standards, the USEPA and the CDPH have set voluntary water quality goals for some contaminants. Water quality goals are often set at such low levels that they are not achievable in practice and are not directly measurable. Nevertheless, these goals provide useful guideposts and direction for water management practices. The table in this report includes three types of water quality goals.

Should I Take Additional Precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The USEPA/Centers for Disease Control guidelines on appropriate means to lessen the risk of infection of *Cryptosporidium* and other microbial contaminants are available from the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Lead in Tap Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. SFSWUA is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at: <http://www.epa.gov/safewater/lead>

Source Water Assessment

Every five years, MWD is required by the CDPH to examine possible sources of drinking water contamination in its State Water Project and Colorado River source waters. MWD has submitted to the CDPH its 2010 updates to the Watershed Sanitary Surveys for the Colorado River and State Water Project, which include suggestions for how to better protect these source waters. Both source waters are exposed to stormwater runoff, recreational activities, wastewater discharges, wildlife, fires, and other watershed-related factors that could affect water quality. Water from the Colorado River is considered to be most vulnerable to contamination from recreation, urban/stormwater runoff, increasing urbanization in the watershed, and wastewater. Water supplies from Northern California's State Water Project are most vulnerable to contamination from urban/stormwater runoff, wildlife, agriculture, recreation, and wastewater. USEPA also requires MWD to complete one Source Water Assessment (SWA) that utilizes information collected in the watershed sanitary surveys. MWD completed its SWA in December 2002. The SWA is used to evaluate the vulnerability of water sources to contamination and helps determine whether more protective measures are needed. A copy of the most recent summary of either Watershed Sanitary Survey or the SWA can be obtained by calling MWD at (213) 217-6850.

SFSWUA conducted an assessment of its groundwater supplies in 2002. Groundwater supplies are considered most vulnerable to chemical/petroleum processing/storage, automobile repair shops, automobile gasoline stations, dry cleaners, fleet/truck/bus terminals, landfills/dumps, motor pools, sewer collection systems, water supply wells, electrical/electronic manufacturing, metal plating/finishing/fabricating, furniture repair/manufacturing, machine shops, plastics/synthetic producers, airport maintenance/fueling areas, food processing, photograph processing/printing, and hardware/lumber/parts stores. A copy of the approved assessment may be obtained by contacting Frank Beach at 562-868-0511 x 3611.



Please visit us on the web at: www.santafesprings.org



2011

Results are from the most recent testing performed in accordance with State and Federal drinking water regulations

PRIMARY STANDARDS MONITORED AT THE SOURCE - MANDATED FOR PUBLIC HEALTH

CONSTITUENTS AND UNITS	SFSWA GROUNDWATER		MWD SURFACE WATER		MCL	PHG OR (MCLG)	SOURCES IN DRINKING WATER
	AVERAGE	RANGE	AVERAGE	RANGE			
ORGANIC CHEMICALS Tested in 2011							
Tetrachloroethylene (µg/l)	0.66	ND - 1.3	ND	ND	5	0.06	Degreasing sites and other industries
Trichloroethylene (µg/l)	1	ND - 2.3	ND	ND	5	1.7	Degreasing sites and other industries
1,1-Dichloroethylene (µg/l)	<0.5	ND - 0.76	ND	ND	6	10	Degreasing sites and other industries
INORGANIC CHEMICALS Tested in 2011							
Aluminum (mg/l)	<0.05	ND - 0.068	0.11	ND - 0.22	1	0.6	Residue from water treatment processes
Barium (mg/l)	<0.1	ND - 0.1	ND	ND	1	2	Erosion of natural deposits
Fluoride (mg/l) Naturally-occurring	0.24	ND - 0.32	NR	NR	2.0	1	Erosion of natural deposits
Fluoride (mg/l) Treatment-related	NR	NR	0.8	0.7 - 1.0	Control Range 0.7-1.3 Optimal 0.8		Water additive for dental health
Nitrate (mg/l as NO3)	9.4	6.2 - 17	<2	ND - 2	45	45	Runoff and Leaching from fertilizer/septic tanks/sewage
RADIOLOGICALS Tested in 2008, 2009 and 2011							
Gross Alpha (pCi/l)	<3	ND - 11	<3	ND - 3	15	(0)	Erosion of natural deposits
Gross Beta (pCi/l)	NR	NR	4	ND - 6	50	(0)	Decay of man-made or natural deposits
Uranium (pCi/l)	3.6	ND - 6.1	2	1 - 2	20	0.43	Erosion of natural deposits

PRIMARY STANDARDS MONITORED IN THE DISTRIBUTION SYSTEM - MANDATED FOR PUBLIC HEALTH

DISINFECTION BY-PRODUCTS (a)	AVERAGE	RANGE	MCL	MCLG	SOURCES IN DRINKING WATER
Trihalomethanes (µg/l) Tested quarterly	34	2.4 - 70	80	-	Byproduct of drinking water disinfection
Haloacetic Acids (µg/l) Tested quarterly	16	ND - 42	60	-	Byproduct of drinking water disinfection
Total Chlorine Residual (mg/l) Tested weekly	1.3	0.1 - 2.8	4.0 (b)	4.0 (c)	Disinfectant added for treatment
MICROBIOLOGICAL					
Total Coliform Tested weekly	1.6%	--	5.0%	(0)	Naturally Present in the Environment
AT-THE-TAP LEAD AND COPPER Tested in 2010					
	90th PERCENTILE	# OF SITES ABOVE THE ACTION LEVEL	ACTION LEVEL	PHG	SOURCES IN DRINKING WATER
Copper (mg/l)	0.31 (d)	0 out of 30 sites	1.3	0.3	Internal corrosion of household plumbing
Lead (µg/l)	5.4 (d)	1 out of 30 sites	15	0.2	Internal corrosion of household plumbing

SECONDARY STANDARDS MONITORED AT THE SOURCE - FOR AESTHETIC PURPOSES

INORGANIC CHEMICALS AND UNITS	SFSWA GROUNDWATER		MWD SURFACE WATER		MCL	PHG	SOURCES IN DRINKING WATER
Tested in 2011	AVERAGE	RANGE	AVERAGE	RANGE			
Aluminum (µg/l) (e)	<50	ND - 68	110	ND - 220	200	600	Surface water treatment process residue
Chloride (mg/l)	86	71 - 130	70	63 - 76	500	-	Runoff/leaching from natural deposits
Color (color units)	ND	ND	2	1 - 2	15	-	Naturally-occurring organic materials
Conductivity (umhos/cm)	910	730 - 1,000	630	320 - 870	1,600	-	Substances that form ions when in water
Iron (µg/l)	<100	ND - 130	ND	ND	300	-	Runoff/leaching from natural deposits
Odor (threshold odor number)	<1	ND - 1	2	2	3	-	Naturally-occurring organic materials
Sulfate (mg/l)	160	110 - 190	150	120 - 170	500	-	Runoff/leaching from natural deposits
Total Dissolved Solids (mg/l)	600	510 - 630	440	390 - 480	1,000	-	Runoff/leaching from natural deposits
Turbidity (NTU)	0.18	ND - 3	0.05	0.02 - 0.07	5	-	Runoff/leaching from natural deposits

SECONDARY STANDARDS MONITORED IN THE DISTRIBUTION SYSTEM - FOR AESTHETIC PURPOSES

GENERAL PHYSICAL CONSTITUENTS	AVERAGE	RANGE	MCL	PHG	SOURCES IN DRINKING WATER
Odor (threshold odor number)	1	1	15	-	Naturally-occurring organic materials
Turbidity (NTU) Tested monthly	0.1	ND - 0.7	5	-	Runoff/leaching from natural deposits

ADDITIONAL UNREGULATED CHEMICALS OF INTEREST

CONSTITUENTS AND UNITS Tested in 2011	SFSWA GROUNDWATER		MWD SURFACE WATER		MCL	PHG	SOURCES IN DRINKING WATER
	AVERAGE	RANGE	AVERAGE	RANGE			
Alkalinity (mg/l as CaCO3)	190	160 - 220	82	43 - 110	-	-	Runoff/leaching from natural deposits
Calcium (mg/l)	100	74 - 120	48	41 - 54	-	-	Runoff/leaching from natural deposits
Magnesium (mg/l)	21	15 - 24	18	16 - 21	-	-	Runoff/leaching from natural deposits
pH (standard unit)	7.7	7.4 - 8.0	8.1	7.8 - 8.8	-	-	Runoff/leaching from natural deposits
Potassium (mg/l)	3.7	3.7	3.8	3.4 - 4.1	-	-	Runoff/leaching from natural deposits
Sodium (mg/l)	64	44 - 100	69	62 - 76	-	-	Runoff/leaching from natural deposits
Total Hardness (mg/l as CaCO3)	330	260 - 380	170	60 - 250	-	-	Runoff/leaching from natural deposits
Total Organic Carbon (mg/l)	NR	NR	2.3	1.7 - 2.9	TT	-	Naturally-occurring organic materials
1,4-Dioxane (ug/l)	<1	ND - 1.5	NR	NR	NL = 1	-	Industrial discharges

METROPOLITAN WATER DISTRICT SURFACE WATER FILTRATION TREATMENT

Turbidity Combined Filter Effluent Treatment Technique (TT) tested continuously	TT	Turbidity Measurements	TT Violation?	Typical Source	(a) Running annual average used to calculate MCL compliance (b) Maximum Residual Disinfectant Level (MRDL) (c) Maximum Residual Disinfectant Level Goal (MRDLG) (d) 90th percentile from the most recent sampling (e) Aluminum has primary and secondary standards
1) Highest single turbidity measurement	0.3 NTU	0.07	No	Runoff	
2) Percentage of samples less than 0.3 NTU	95%	100%	No	Runoff	
Turbidity is a measure of the cloudiness of the water, an indication of particulate matter, some of which might include harmful microorganisms. Low turbidity in Metropolitan's treated water is a good indicator of effective filtration. Filtration is called a "treatment technique." A treatment technique is a required process intended to reduce the level of contaminants in drinking water that are difficult and sometimes impossible to measure directly.					

ABBREVIATIONS

µg/l = microgram per liter or parts-per-billion; mg/l = milligram per liter or parts-per-million; pCi/L = picoCuries per liter;
 NTU = nephelometric turbidity units; µmho/cm = micromhos per centimeter; ND = Non detect; MCL = Maximum Contaminant Level; (MCLG) = Federal MCL Goal;
 PHG = California Public Health Goal; NR = not required to be tested; TT = treatment technique; NL = Notification Level; < = average is less than the detection limit for reporting

Annual Water Quality Report

2011

Santa Fe Springs Water Authority

Your City Council
William K. Rounds, Mayor
Richard J. Moore, Mayor Pro Tem
Luis M. González, Councilmember
Joseph D. Serrano, Sr., Councilmember
Juanita A. Trujillo, Councilmember



PRSR STD
U.S. POSTAGE
PAID
SANTA FE SPRINGS, CA
PERMIT NO. 1

How Can I Participate in Decisions On Water Issues That Affect Me?

The public is welcome to attend City Council meetings which are normally scheduled on the second and fourth Thursday of each month at 7 p.m. at City Hall, 11710 East Telegraph Road, Santa Fe Springs.

How Do I Contact My Water Agency If I Have Any Questions About Water Quality?

If you have specific questions about your tap water quality, please contact Frank Beach, Utility Services Manager at (562) 868-0511, Ext. 3611.

Este informe contiene información muy importante sobre su agua potable. Para mas información ó traducción, favor de llamar al (562) 868-0511, Ext. 3601.

Definitions:

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial pathogens.

Primary Drinking Water Standard: MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements and water treatment requirements.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Notification Level (NL): An advisory level which, if exceeded, requires the drinking water system to notify the governing body of the local agency in which users of the drinking water reside (i.e. City Council, County Board of Supervisors).

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the USEPA.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.